

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1325	718/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:12
L2	5420	(sachedina winer lyle).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:12
L3	76	2 and latch.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:13
L4	1	3 and stealable.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:13
L5	5143	718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L6	216	latch\$3 with (steal\$4 stolen unsteal\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L7	165	@ad<="20001006" and (latch\$3 with (steal\$4 stolen unsteal\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L8	1	718/1-108.ccls. and @ad<="20001006" and (latch\$3 with (steal\$4 stolen unsteal\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L9	1	((@ad<="20001006" and (latch\$3 with (steal\$4 stolen unsteal\$4))) and (latch with access\$3 with resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14

L10	6	718/1-108.ccls. and @ad<="20001006" and (latch with access\$3 with resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L11	0	718/1-108.ccls. and @ad<="20001006" and (latch with reaccess\$3 with resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L12	0	@ad<="20001006" and (latch with reaccess\$3 with resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L13	0	718/1-108.ccls. and @ad<="20001006" and (latch with releas\$3 with soft with resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L14	0	@ad<="20001006" and (latch with releas\$3 with soft with resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L15	8	latch\$3 and 718/1-108.ccls. and resource and cleanup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L16	0	@ad<="20001006" and (718/1-108.ccls. and @ad<="20001006" and (latch with reaccess\$3 with resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L17	156	latch\$3 and @ad<="20001006" and resource and cleanup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L18	0	re\$1access adj resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L19	0	re\$1access\$3 adj resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14

L20	83	(access\$3 adj resource) with again	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L21	0	(latch\$3 and @ad<="20001006" and resource and cleanup) and ((access\$3 adj resource) with again)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L22	9	latch and ((access\$3 adj resource) with again)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L23	5	@ad<="20001006" and (latch and ((access\$3 adj resource) with again))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L24	4	(@ad<="20001006" and (latch and ((access\$3 adj resource) with again))) and flags	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L25	0	(@ad<="20001006" and (latch and ((access\$3 adj resource) with again))) and clean\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L26	7088	(releas\$3 with latch) with lock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L27	24	(releas\$3 with latch) with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L28	16	(hold with latch) with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L29	11	@ad<="20001006" and ((hold with latch) with resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14

L30	246	(hold with latch) with possible	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L31	11	((hold with latch) with possible) and @ad<="20001006" and resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L32	1310	over\$1rid\$3 with latch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L33	0	over\$1rid\$3 with latch with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L34	43	(over\$1rid\$3 with latch) and flags and resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L35	14	((over\$1rid\$3 with latch) and flags and resource) and @ad<="20001006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L36	367	latch with resources	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L37	67093	lock\$3 with (resource latch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L38	21892	(lock\$3 with (resource latch)) and (task thread process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L39	8	(latch with resources) and (lock\$3 with (resource latch)) and 718/1-108.ccls. and @ad<="20001006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14

L40	428	((lock\$3 with (resource latch)) and (task thread process)) and ((break\$3 overid\$3) with lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L41	279	@ad<="20001006" and (((lock\$3 with (resource latch)) and (task thread process)) and ((break\$3 overid\$3) with lock))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L42	7	718/1-108.ccls. and (@ad<="20001006" and (((lock\$3 with (resource latch)) and (task thread process)) and ((break\$3 overid\$3) with lock)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L43	4	(718/1-108.ccls. and (@ad<="20001006" and (((lock\$3 with (resource latch)) and (task thread process)) and ((break\$3 overid\$3) with lock)))) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L44	2747	lock with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L45	5212	(flag bit mark\$3) near2 lock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L46	207	@ad<="20001006" and (lock with resource) and ((flag bit mark\$3) near2 lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L47	5422990	task threads process	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L48	193	(@ad<="20001006" and (lock with resource) and ((flag bit mark\$3) near2 lock)) and (task threads process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L49	92	((@ad<="20001006" and (lock with resource) and ((flag bit mark\$3) near2 lock)) and (task threads process)) and (lock.ti. lock.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14

L50	91	(((@ad<="20001006" and (lock with resource) and ((flag bit mark\$3) near2 lock)) and (task threads process)) and (lock.ti. lock.ab.)) not ibm.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L51	58	(((((@ad<="20001006" and (lock with resource) and ((flag bit mark\$3) near2 lock)) and (task threads process)) and (lock.ti. lock.ab.)) not ibm.as.) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L52	5160	(java adj virtual adj machine) jvm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L53	292	(native with layer) and ((virtual logical) with layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L54	2	(native adj layer) and ((virtual logical) adj layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L55	128	((java adj virtual adj machine) jvm) and ((native with layer) and ((virtual logical) with layer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L56	7	((java adj virtual adj machine) jvm) and ((native with layer) and ((virtual logical) with layer))) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L57	1	("6574654").PN.	USPAT; USOCR	OR	OFF	2005/09/27 16:14
L58	0	((("6574654").PN.) and priority	USPAT	OR	ON	2005/09/27 16:14
L59	0	((("6574654").PN.) and flags	USPAT	OR	ON	2005/09/27 16:14
L60	0	((("6574654").PN.) and bits	USPAT	OR	ON	2005/09/27 16:14
L61	525	cleanup and flag and priority	USPAT	OR	ON	2005/09/27 16:14
L62	19755553	@ad<="20001006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14

L63	439	(cleanup and flag and priority) and @ad<="20001006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L64	234	((cleanup and flag and priority) and @ad<="20001006") and locks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L65	25	((((cleanup and flag and priority) and @ad<="20001006") and locks) and (cleanup with resources)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L66	1	(((((cleanup and flag and priority) and @ad<="20001006") and locks) and (cleanup with resources)) and garbage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L67	2	(((((cleanup and flag and priority) and @ad<="20001006") and locks) and (cleanup with resources)) and (lock with flags)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L68	1	(US-6598068-\$.did.	USPAT	OR	OFF	2005/09/27 16:14
L69	1	((US-6598068-\$.did.) and (locks with flags with resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L70	1	((US-6598068-\$.did.) and (count\$3 with lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L71	0	((US-6598068-\$.did.) and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L72	1	((US-6598068-\$.did.) and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L73	19755553	@ad<="20001006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14

L74	543	(steal\$4 with (latch lock))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L75	177	clean\$1up with (latch lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L76	12	L74 and L75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L77	11	L73 and L76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L78	125422	((open closed steal\$4 stolen) with (latch lock))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L79	20	L73 and L75 and L78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L80	42	((steal\$4 stolen) with (latch lock) with (configur\$6 property setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L81	0	L80 and L75 and L73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L82	27	L80 and L73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L83	5143	718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14



L84	0	L82 and L83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L85	78	((steal\$4 stolen) with (latch lock)) same (configur\$6 property setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L86	0	L85 and L73 and L83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L87	374	clean\$1up same (latch lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L88	68619	(property setting configur\$6) with (latch lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L89	1269	(steal\$4 stolen) with (latch lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L90	211	L88 and L89 and L73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L91	4	L83 and L90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L92	5382	table near3 (latch lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L93	22504	(steal\$4 stolen status) with (latch lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14

L94	22	L92 and L93 and L73 and L83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L95	97382	(steal\$4 stolen status state) with (latch lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L96	35	L92 and L95 and L73 and L83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L97	4	L96 and L75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L98	99824	(steal\$4 stolen status state property) with (latch lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L99	1	(US-5634072-\$).did.	USPAT	OR	OFF	2005/09/27 16:14
L100	1	L99 and cast\$1out	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14
L101	1	(US-5634072-\$).did.	USPAT	OR	OFF	2005/09/27 16:14
L102	1	L101 and ((latch lock) with resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 16:14